jpt

Journal of Paint Technology

Annual Index

1973

Volume 45
Numbers 576-587
January thru December, 1973

Journal of Paint Technology
1973 Annual Index

Key Word Index

A

Absorption ..... 23, 31—Apr.
Absorption coefficient ..... 35—Feb.
Acerbic substances ..... 35—June
Acrylic emulsion ..... 68—Jan.
Acrylic copolymers ..... 66—July
Activity coefficients ..... 33—Oct.
Air-dry enamels ..... 33—Aug.
Alcoholysis ..... 63—Dec.
Aqueous osmosis ..... 45—Mar.
Aqueous paint vehicles ..... 45—Mar.

B

Bactericides ..... 43—Feb.
Beads ..... 73—Sept.
Biocides ..... 43—Feb.
Block copolymers ..... 33—May
Blocked polyurethanes ..... 56—Mar.
Bronzing ..... 39—June
Brushability ..... 58—Jan.
Bubbles ..... 73—Sept.
Building sealants ..... 49—May

C

Carbon black pigments ..... 50—July, 56—Dec.
Cellulosic membranes ..... 45—Mar.
Chalking ..... 55—Feb., 39—June
Channel black ..... 62—Mar.
Chromatography ..... 33—Oct.
Clear coatings ..... 27—Feb.
Coalescents in latex ..... 68—Jan.
Coalescing aids ..... 51—Apr.
Coating uniformity ..... 68—Oct.
Cobalt driers ..... 48—Dec.
Colloidal suspensions ..... 45—Mar.
Color matching ..... 57—Apr.
Color reflectance ..... 23, 31—Apr.
Containers, 5-liter vs. 4-liter ..... 45—July
Contraction in weathered wood surface ..... 27—Feb.
Corrosion protection ..... 37—Dec.
Countercurrent mass transport phenomena ..... 45—Mar.
CPVC ..... 72—Mar.
Crystal modification ..... 39—Apr.

D

Deposition efficiency ..... 42—May
Depth of shade ..... 39—Apr.
Dialysis ..... 45—Mar.
Digestion ..... 38—May
Dirt retention ..... 55—June
Dispersion ..... 39—Apr., 56—Dec.
Dispersing conditions, heat, mill action ..... 39—Apr.
Driers ..... 48—Dec.
Drying ..... 33—Oct.
Drying time ..... 48—Dec.
Durable colors ..... 39—June

E

Eddington approximation ..... 65—Sept.
Electron beam curing ..... 66—July
Electrocoating ..... 37—Dec.
Electrodeposition ..... 37—Dec.
Electrostatic spray ..... 42—May, 68, 74—Oct.
Epoxide ..... 63—Dec.
Epoxidized linseed oil ..... 66—July
Evaporation ..... 45—Aug.
Evaporation rates ..... 33—Aug.
Extender ..... 55—Feb.
Extraction processes ..... 45—Mar.

F

Fading ..... 55—Feb.
Filming aids ..... 51—Apr.
Filmforming macro-ions ..... 37—Dec.
Film porosity ..... 76—Jan.
Film thickness ..... 35—Feb., 74—Oct.
Flashpoint ..... 44—June
Flow point technique ..... 62—Mar., 50—July
Furnace black ..... 62—Mar.

G

Gamma ray irradiation ..... 66—July
Glass transition temperature of latex polymers ..... 51—Apr.
Gloss ..... 39—Apr.
Gloss retention ..... 55—Feb., 39—June

H

Heterogeneous solution polymerization ..... 33—May
Hiding power ..... 76—Jan., 35—Feb., 57—Apr.
High chroma ..... 39—June
Hue ..... 39—Apr.
Hydrolysis ..... 33—Aug.
Hydrogen-bonding ..... 33—Oct.

I

Ingestion ..... 35—June
Instruments ..... 45—Aug.
Interference contrast microscopy ..... 62—Mar.
Intermolecular forces ..... 33—Oct.
Invariance methods ..... 65—Sept.

K

Kinetics ..... 63—Dec.
Kubelka-Munk ..... 23, 31—Apr., 65—Sept.

L

Latex ..... 33–Aug.
Latex paints ..... 76–Jan., 43–Feb., 72–Mar.
Latex stabilization ..... 45–Mar.
Lead-base paints 35–June
Lead chromate 38–May
Lead determination 38–May
Lead driers 38–May
Lead naphthenate 38–May
Lead poisoning 38–May
Leaded tints 38–May
Leveling ..... 58–Jan.
Light scattering ..... 73–Sept.
Light wavelength ..... 55–Feb.

M

Macroradicals 33–May
Magnetic tape ..... 56–Mar.
Magnetic thickness gages ..... 46–Oct.
Mechanical properties of sealants 49–May
Membrane selectivity ..... 45–Mar.
Metallic/nonmetallic concept 39–June
Metric conversion, hard vs. soft 45–July
Micellar solution ..... 33–Aug.
Mie theory ..... 65–Sept.
Minimum filming temperature ..... 51–Apr.
Microcapsules ..... 73–Sept.
Microscopy of wood surface ..... 27–Feb.
Microscope method for measuring pigment dispersion ..... 54–Jan.
Microvoids ..... 65, 73–Sept.
Mixing ..... 56–Dec.
Monolayer adsorption of soap on latex ..... 45–Mar.
Monte Carlo method ..... 65–Sept.
Multi-channel method ..... 65–Sept.

N

Nonparametric statistical methods ..... 48–Dec.

O

Official reflectance ..... 56–Dec.
Oil absorption ..... 76–Jan., 72–Mar.
Oil to water emulsions ..... 73–Sept.
Opacity ..... 73–Sept.
Optimum drier level ..... 48–Dec.
Operating variables ..... 68, 74–Oct.
Organic pigments 60–Feb., 39–Apr., 39–June
Oxirane reactions ..... 66–July, 63–Dec.

P

Paint film thickness ..... 46–Oct.
Paint performance ..... 72–Mar.
Particle deposition ..... 68–Oct.
Particle size 55–Feb., 62–Mar., 42–May
Particle size distribution ..... 56–Dec.
Pensky-Martens 44–June
Performance testing of sealants 49–May
Pigment coatings 33–Aug
Pigment dispersion ..... 54–Jan., 35, 60–Feb.
Pigment loading capacity 50–July
Pigments ..... 60–Feb., 72–Mar.
Pigmentation ..... 72–Mar.
Piperine 35–June
Pittmentize ..... 73–Sept.
Plasti-Corder 50–July
Polar and nonpolar solvents ..... 33–Oct.
Polymer solubility ..... 37–Mar.
Polymer solutions ..... 33–Oct.
Polysulfide sealants 49–May
Porosity ..... 35–Feb.
Powder coating ..... 42–May, 60–July, 68, 74–Oct.
Preservative ..... 43–Feb.
Processs control ..... 45–Mar.
Process modeling ..... 45–Mar.

R

Radiative transfer ..... 65–Sept.
Rate of movement dependence of mechanical properties of sealants 49–May
Reactivity ..... 63–Dec.
Recrystallization ..... 39–Apr.
Reflectance ..... 55–Feb.
Resin solutions ..... 45–Aug.
Rheological agent ..... 58–Jan.
Rheology ..... 58–Jan., 50, 60–July, 33–Aug.
Rogue peaks ..... 46–Oct.
Rotational viscometer ..... 58–Jan.

S

Sagging ..... 58–Jan.
Sand mill sedimentation ..... 56–Dec.
Scanning electron microscope ..... 46–Oct.
Scattering ..... 23, 31–Apr.
Scattering coefficient ..... 35–Feb.
Sucrose octa-acetate 35–June
Sealants 49–May
Setaflash 44–June
Settling ..... 58–Jan.
Soap micellization ..... 45–Mar.
Soap solution theory ..... 45–Mar.
Solution stability ..... 37–Mar.
Solution surface tension ..... 37–Mar.
Solution thermodynamics ..... 37–Mar.
Solvent blends ..... 45–Aug.
Solvent precipitation ..... 73–Sept.
Solvents ..... 45–Aug.
Solvent volatility ..... 33–Oct.
Spoilage ..... 43–Feb.
Statistics ..... 48–Dec.
Steel surfaces profile ..... 46–Oct.
Styrene 66–July
Styrene-maleic anhydride copolymers 33–May
Surface area ..... 62–Mar.
Surface chemistry 50–July
Surfactants in latex ..... 68–Jan.
Surface reflectance ..... 65–Sept.
Surface resistivity 42–May
Surface tension ..... 83–Jan.

T

Tag closed 44–June
Temperature and pressure, effect of ..... 37–Mar.
Temperature dependence of mechanical properties of sealants 49–May
Thermodynamics ..... 33–Oct.
Thermosetting acrylic coatings 39–June
Thermosetting acrylic emulsions ..... 68–Jan.
Thixotropy ..... 58–Jan.
Tinctorial strength ..... 57–Apr.
Tinting strength ..... 35–Feb.
Titanium dioxide 66–July
Tracheid twisting during weathering ..... 27–Feb.
Transparency ..... 39–Apr.

U

Undertone ..... 35–Feb.
Urethane resin ..... 83–Jan.
UV irradiated wood ..... 27–Feb.

V

Vacuum treatment of pigments ..... 60—Feb.
Valley volumes ..... 46—Oct.
Vehicle demand ..... 62—Mar., 50—July
Vehicle system ..... 55—Mar.
Vesicles ..... 73—Sept.
Vinyl polymers ..... 60—July
Viscosity ..... 43—Feb.

W

Weathered wood ..... 27—Feb.
Wetting efficiency ..... 50—July
Wetting of pigments ..... 60—Feb.
Wood surface ..... 27—Feb.
Work energy ..... 50—July
Water-reducible coatings ..... 33—Aug.
Water-soluble resins ..... 33—Aug.

Alphabetical Listing of Papers

A

Absolute Calibration of High Shear Mini-Viscometer and Its Application—A. Quach and P. E. Pierce, Nov., p. 69.
Acerbic Approach to Problem of Old Lead-Base Paints—Feasibility Study—J. P. Teas, A. B. Rawitch, and R. R. Myers, June, p. 35.
Applied Color Theory in a Pigments Laboratory—D. A. Plant, Apr., p. 57.

B

Block Copolymers from Macroradicals Produced by the Heterogeneous Solution Copolymerization of Maleic Anhydride and Vinyl Monomers—R. B. Seymour, P. D. Kincaid, and D. R. Owens, May, p. 33.

C

Contraction in Softwood Surfaces During Ultraviolet Irradiation and Weathering—V. P. Minutti, Feb., p. 27.
Cooperation—National and International—Do We Realize Its Potentialities—H. K. Raaschou Nielsen, Jan., p. 37.
Corrosion Control by Coatings—R. R. Myers, Sept., p. 61.
Critical Path Through Design of Membrane Extraction Processes in Colloidal Systems—E. G. Bobalek, J. R. Hart, and W. A. Olmsted, Mar., p. 45.

D

Deposition Efficiency in Electrostatic Spraying of Powder Coating—A. Golovoy, May, p. 42.
Development of Specifications for Measurement of Paint Thickness on Structural Steel—J. D. Keane and T. L. Shoemaker, Oct., p. 46.
Dispersion of Organic Pigments With Modern Dispersion Equipment—W. Herbst, Apr., p. 39.
Driers IV: Influence of the Organic Radical on the Efficacy of Cobalt Driers—A Statistical Study—Philadelphia Society for Paint Technology, Dec., P. 48.

E

Economics in Formulation and Raw Material Selection—S. L. Davidson, Feb., p. 73.
Economist's View of the Paint Industry—W. W. Bewley, Jr., Feb., p. 71.
Effect of Titanium Dioxide Particle Size On Exterior Durability—New York Society, Feb., p. 55.
Effects of Molecular Size and Shape in The Thermodynamics of Polymer Solubility—D. D. Patterson, Mar., p. 37.
Electrodeposition of Paint:—Achievement Through Parallel Efforts—G. E. F. Brewer, Dec., p. 35.
Environmental Improvement From a Product Standpoint—R. L. Zimmerman, May, p. 58.
Evaluation of Latex Paint Preservatives—F. Buono, W. J. Stewart, and M. Freifeld, Feb., p. 43.
Evaluation of Pigmented Aliphatic Polyurethane and Other Coatings for Railway Equipment—R. A. Fraser and W. J. Fraser, Nov., p. 54.
Estimating Effectiveness of Latex Coalescing Aids—K. L. Hoy, Apr., p. 51.

F

Factors Which Influence Surface Tension of Moisture Curing Urethane Solutions—R. R. Koch, Jan., p. 83.
Federation—Where Do We Go From Here?—Jan., p. 98.
Formulation of Magnetic Tape Binders Using Benzophenone Oxime Blocked Urethane Prepolymers—A. W. Levine and J. Fech, Jr., Mar., p. 56.
Formulation of Water-Reducible Polymers—Use of Phenolic Resins in Water-Borne Coatings—M. R. Rifi, Nov., p. 73.

G

Gamma Irradiation of Acrylated Oils—A. E. Rheineck and S. Wako, July, p. 66.
General Observations on Economics of Paint Production—F. K. Daniel, Feb., p. 65.
Golden Anniversary — Prelude To A Golden Age — H. J. Kiefer, Jan., p. 95.
Growth of Film Thickness in Electrostatic Spraying of Powder Coatings—A. Golovoy, Oct., p. 74.

H

High Altitude Testing of Paint Films—Rocky Mountain Society, Jan., p. 89.

I

Influence of Sand on High-Speed Carbon Black Dispersion—V. Huelck, G. Poehlein, and W. Schaeffer, Dec., p. 56.

K

Kubelka-Munk Scattering and Absorption Coefficients for Use With Glossy, Opaque Objects—P. S. Mudgett and L. W. Richards, Nov., p. 43.

M

Market Research and New Products—E. Tarnell, Feb., p. 68.
Mechanical Properties of Sealants-IV. Performance testing of Two-Part Polysulfide Sealants—K. K. Karpati, May, p. 49.
Metallic/Nonmetallic Concept for New Effect-High Chroma-Durable Colors—S. Panush, June, p. 39.
Method for Determination of Degree of Dirt Retention of Paint Films—M. I. Karakina and M. I. Viktorova, June, p. 55.
Microscopy Method For Observing Pigment Dispersion—H. J. Golden, Jan., p. 54.
Microvoids as Light Scatter Sites in Polymer Coatings—W. S. Rosenthal and B. N. McBane, Sept., p. 73.
Mildew—Bacteria Symbiosis—J. Schmitt and D. Padgett, June, p. 32.
Mildew-Induced Defacement of Organic Coatings (MIDOC)—R. R. Myers, June, p. 31.

N

New Flash Point Tester for Paint Industry-Setaflash—H. A. Wray, June, p. 44.
New Instrument to Measure Solvent Evaporation—Z. Saary and P. L. Goff, Aug., p. 45.

O

Observations on the Argentimetric Method for Epoxies—B. W. Peace, P. D. Lodewyck, and K. G. Mayhan, Sept., p. 81.
Occupational Safety and Health Act—J. Henschel, Feb., p. 77.

P

Paint Phenomena—They're All The Same—P. B. Mitton, Feb., p. 35.
Particle Deposition in Electrostatic Spraying of Powder Coatings—A. Golovoy, Oct., p. 68.
Polymer-Solvent Interactions From Gas-Liquid Chromatography——R. D. Newman and J. M. Prausnitz, Oct., p. 33.
Predicting Reflectance and Color of Paint Films by Kubelka-Munk Analysis—I. Turbid Medium Theory—F. W. Billmeyer, Jr. and R. L. Abrams, Apr., p. 23.
Predicting Reflectance and Color of Paint Films by Kubelka-Munk Analysis—II. Performance Tests—F. W. Billmeyer, Jr. and R. L. Abrams, Apr., p. 31.
Prediction of Optical Properties of Paints from Theory (With Special Reference to Microvoid Paints)—E. Allen, Sept., p. 65.
Preparation of Linseed Oil Films Containing Chemically Bound Ferrocene—C. U. Pittman, Jr. and R. M. Hanes, July, p. 78.
Profiles of White Hiding Power in Latex Flat Paints—F. B. Stieg, Jan., p. 76.

Q

Quality Appraisal and Formulating Parameters: Furnace and Channel Blacks in Coatings Systems—M. D. Garret, Mar., p. 62.

R

Rating Dirt, Fungi, and Chalk on Weathered Paints—A. E. Jacobsen, Nov., p. 64.
Reactivity of Internal Epoxides—C. M. Wong and L. W. Hill, Dec., p. 63.
Report of the Paint Research Institute Director—R. R. Myers, Feb., p. 19.
Rheological Properties of Vinyl Polymers and Powder Coatings—O. W. Smith and J. V. Koleske, July, p. 60.
Rheology of Powder Coatings—V. G. Nix and J. S. Dodge, Nov., p. 59.
Role of Water in Water-Reducible Paint Formulations—H. McEwan, Aug., p. 33.

S

Solution of Lead From an Alkyd Paint Matrix by Simulated Gastric and Intestinal Digestive Juices—R. A. Culp and A. B. Rawitch, May, p. 38.
Solvents and Their place in Air Pollution Regulations—J. H. Sweet, June, p. 58.

T

The Kilos are Coming-Be Prepared—R. J. Dille, Aug., p. 60.
Thermosetting Acrylic Emulsion Variables—D. H. Klein and W. J. Elms, Jan., p. 68.

U

Up-date of Air and Water Regulations for Environmental Protection—F. C. Gaugush, Aug., p. 56.

V

Vehicle CPVC—R. E. Wiita, Mar., p. 72.
Vehicle Demand and Surface Chemistry Effects of Carbon Black Pigments in Paint Systems—M. D. Garret, July, p. 50.
Viscosity Profiles of Solvent Based Paints: Their Measurement and Interpretation—A. Ehrlich, T. C. Patton, and A. Franco, Jan., p. 58.

W

Wetting as an Aid to Pigment Dispersion—P. R. Buechler, G. L. Brown, V. P. Parikh, and H. J. Salmon, Feb., p. 60.
Working Paper on Metric Conversion—E. Barry and A. M. Hector, July, p. 45.

Constituent Society Papers

New York—Effect of Titanium Dioxide Particle Size on Exterior Durability, Feb., p. 55.

Philadelphia—Driers IV: Influence of the Organic Radical on the Efficacy of Cobalt Driers — A Statistical Study, Dec. p. 48.

Rocky Mountain—High Altitude Testing of Paint Films, Jan., p. 89.

Author Index

A

ABRAMS, R. L.—See Billmeyer, F. W., Jr.
ALLEN, E.—Prediction of Optical Properties of Paints From Theory (With Special Reference to Microvoid Paints), Sept., p. 65.

B

BARRY, E. and HECTOR, A. M.—Working Paper on Metric Conversion, July, p. 45.
BEWLEY, W. W., JR.—Economist's View of the Paint Industry, Feb., p. 71.
BILLMEYER, F. W., JR. and ABRAMS, R. L.—Predicting Reflectance and Color of Paint Films by Kubelka-Munk Analysis — I. Turbid Medium Theory, Apr., p. 23.
BILLMEYER, F. W., JR. and ABRAMS, R. L.—Predicting Reflectance and Color of Paint Films by Kubelka-Munk Analysis — II. Performance Tests, Apr., p. 31.
BOBALEK, E. G., HART, J. R., and OLMSTED, W. A.—Critical Path Through Design of Membrane Extraction Processes in Colloidal Systems, Mar., p. 45.
BREWER, G. E. F.—Electrodeposition of Paint: Achievement Through Parallel Efforts, Dec., p. 35.
BROWN, G. L.—see Buechler, P. R.
BUECHLER, P. R., BROWN, G. L., PARIKH, V. P., and SALMON, H. J.—Wetting As An Aid To Pigment Dispersion, Feb., p. 60.
BUONO, F., STEWART, W. J., and FREIFELD, M.—Evaluation of Latex Paint Preservatives, Feb., p. 43.

C

CULP, R. A. and RAWITCH, A. B.—Solubilization of Lead From an Alkyd Paint Matrix by Simulated Gastric and Intestinal Digestive Juices, May, p. 38.

D

DANIEL, F. K.—General Observations on Economics of Paint Production, Feb., p. 65.
DAVIDSON, S. L.—Economics in Formulation and Raw Material Selection, Feb., p. 73.
DILLE, R. J.—The Kilos are Coming — Be Prepared, Aug., p. 60.

E

EHRLICH, A., PATTON, T. C., and FRANCO, A.—Viscosity Profiles of Solvent Based Paints: Their Measurement and Interpretation, Jan., p. 58.
ELMS, W. J.—see Klein, D. H.

F

FECH, J., JR.—see Levine, A. W.
FRANCO, A.—see Ehrlich, A.
FRASER, W. J.—see Fraser, R. A.
FRASER, R. A. and FRASER, W. J.—Evaluation of Pigmented Aliphatic Polyurethane and Other Coatings for Railway Equipment, Nov., p. 54.
FREIFELD, M.—see Buono, F.

G

GARRET, M. D.—Vehicle Demand and Surface Chemistry Effects of Carbon Black Pigments in Paint Systems, July, p. 50.
GARRET, M. D.—Quality Appraisal and Formulating Parameters: Furnace and Channel Blacks in Coatings Systems, Mar. p. 62.
GAUGUSH, F. C.—Up-Date of Air and Water Regulations for Environmental Protection, Aug., p. 56.
GOFF, P. L.—see Saary, Z.
GOLDEN, H. J.—Microscopy Method for Observing Pigment Dispersion, Jan., p. 54.
GOLOVOY, A.—Deposition Efficiency in Electrostatic Spraying of Powder Coating, May, p. 42.
GOLOVOY, A.—Growth of Film Thickness in Electrostatic Spraying of Powder Coatings, Oct., p. 74.
GOLOVOY, A.—Particle Deposition in Electrostatic Spraying of Powder Coatings, Oct., p. 68.

H

HANES, R. M.—see Pittman, C. U., Jr.
HART, J. R.—see Bobalek, E. G.
HECTOR, A. M.—see Barry, E.
HENSCHEL, J.—Occupational Safety and Health Act., Feb., p. 77.
HERBST, W.—Dispersion of Organic Pigments With Modern Dispersion Equipment, Apr., p. 39.
HILL, L. W.—see Wong, C. M.
HOY, K. L.—Estimating Effectiveness of Latex Coalescing Aids, Apr., p. 51.
HUELCK, V., POEHLEIN, G., and SCHAEFFER, W.—Influence of Sand on High-Speed Carbon Black Dispersion, Dec., p. 56.

J

JACOBSEN, A. E.—Rating Dirt, Fungi and Chalk on Weathered Paints, Nov., p. 64.

K

KARPATI, K. K.—Mechanical Properties of Sealants—IV. Performance Testing of Two-Part Polysulfide Sealants, May, p. 40.
KARYAKINA, M. I. and VIKTOROVA, M. I.—Method for Determination of Degree of Dirt Retention of Paint Films, June, p. 55.
KEANE, J. D. and SHOEMAKER, T. L.—Development of Specifications for Measurement of Paint Thickness on Structural Steel, Oct., p. 46.
KIEFER, H. J.—Golden Anniversary—Prelude To a Golden Age, Jan., p. 95.
KINCAID, P. D.—see Seymour, R. B.
KLEIN, D. H. and ELMS, W. J.—Thermosetting Acrylic Emulsion Variables, Jan., p. 68.
KOCH, R. R.—Factors Which Influence Surface Tension of Moisture Curing Urethane Solutions, Jan., p. 83.
KOLESKE, J. V.—see Smith, O. W.

L

LEVINE, A. W. and FECH, J., JR.—Formulation of Magnetic Tape Binders Using Benzophenone Oxime Blocked Urethane Prepolymers, Mar., p. 56.
LODEWYCK, P. D.—see Peace, B. W.

M

MAYHAN, K. G.—see Peace, B. W.
MCBANE, B. N.—see Rosenthal, W. S.
MCEWAN, H.—Role of Water in Water-Reducible Paint Formulations, Aug., p. 33.
MINIUTTI, V. P.—Contraction in Softwood Surfaces During Ultraviolet Irradiation and Weathering, Feb., p. 27.
MITTON, P. B.—Paint Phenomena — They're All The Same, Feb., p. 35.
MUDGETT, P. S. and RICHARDS, L. W.—Kubelka-Munk Scattering and Absorption Coefficients For Use With Glossy, Opaque Objects, Nov., p. 43.
MYERS, R. R.—Corrosion Control by Coatings, Sept., p. 61.
MYERS, R. R.—Mildew-Induced Defacement of Organic Coatings (MIDOC), June, p. 31.
MYERS, R. R.—Report of the Paint Research Institute Director, Feb., p. 19.
MYERS, R. R.—see Teas, J. P.

N

NEWMAN, R. D. and PRAUSNITZ, J. M.—Polymer-Solvent Interactions From Gas-Liquid Chromatography, Oct., p. 33.
NIX, V. G. and DODGE, J. S.—Rheology of Powder Coatings, Nov., p. 59.

O

OLMSTED, W. A.—see Bobalek, E. G.
OWEN, D. R.—see Seymour, R. B.

P

PADGETT, D.—see Schmitt, J.
PANUSH, S.—Metallic/Nonmetallic Concept for New Effect — High Chroma — Durable Colors, June, p. 39.
PARIKH, V. P.—see Buechler, P. R.
PATTERSON, D. D.—Effects of Molecular Size and Shape in The Thermodynamics of Polymer Solubility, Mar., p. 37.
PATTON, T. C.—see Ehrlich, A.
PEACE, B. W., LODEWYCK, P. D., and MAYHAN, K. G.—Observations on the Argentimetric Method for Epoxies, Sept., p. 81.
PIERCE, P. E.—see Quach, A.
PITTMAN, C. U., JR. and HANES, R. M.—Preparation of Linseed Oil Films Containing Chemically Bound Ferrocene, July, p. 78.
PLANT, D. A.—Applied Color Theory in a Pigments Laboratory, Apr., p. 57.
POEHLEIN, G.—see Huelck, V.
PRAUSNITZ, J. M.—see Newman, R. D.

Q

QUACH, A. and PIERCE, P. E.—Absolute Calibration of High Shear Mini-Viscometer and Its Application, Nov., p. 69.

R

RAASCHOU NIELSEN, H. K.—Cooperation — National and International — Do We Realize Its Potentials, Jan., p. 37.
RAWITCH, A. B.—see Culp, R. A.
RAWITCH, A. B.—see Teas, J. P.
RHEINECK, A. E. and WAKO, S.—Gamma Irradiation of Acrylated Oils, July, p. 66.
RICHARDS, L. W.—see Mudgett, P. S.
RIFI, M. R.—Formulation of Water-Reducible Polymers — Use of Phenolic Resins in Water-Borne Coatings, Nov., p. 73.
ROSENTHAL, W. S. and MCBANE, B. N.—Microvoids as Light Scatter Sites in Polymer Coatings, Sept., p. 73.

S

SAARY, Z. and GOFF, P. L.—New Instrument to Measure Solvent Evaporation, Aug., p. 45.
SALMON, H. J.—see Buechler, P. R.
SCHAEFFER, W.—see Huelck, V.
SCHMITT, J. and PADGETT, D.—Mildew-Bacteria Symbiosis, June, p. 32.
SEYMOUR, R. B., KINCAID, P. D., and OWEN, D. R.—Block Copolymers From Macroradicals Produced by the Heterogeneous Solution Copolymerization of Maleic Anhydride and Vinyl Monomers, May, p. 33.
SHOEMAKER, T. L.—see Keane, J. D.
SMITH, O. W. and KOLESKE, J. V.—Rheological Properties of Vinyl Polymers and Powder Coatings, July, p. 60.
STIEG, F. B.—Profiles of White Hiding Power in Latex Flat Paints, Jan., p. 76.
STEWART, W. J.—see Buono, F.
SWEET, J. H.—Solvents and Their Place in Air Pollution Regulations, June, p. 58.

T

TARNELL, E.—Market Research and New Products, Feb., p. 68.
TEAS, J. P., RAWITCH, A. B., and MYERS, R. R.—Acerbic Approach to Problem of Old Lead-Base Paints—Feasibility Study, June, p. 35.

W

WAKO, S.—see Rheineck, A. E.
WISWESSER, W. J.—Comments on the Paper, "New Flash Point Tester for the Paint Industry," Nov., p. 78.
WHITA, R. E.—Vehicle CPVC, Mar., p. 72.
WONG, C. M. and HILL, L. W.—Reactivity of Internal Epoxides, Dec., p. 63.
WRAY, H. A.—New Flash Point Tester for Paint Industry—Setaflash, June, p. 44.

Z

ZIMMERMAN, R. L.—Environmental Improvement From a Product Standpoint, May, p. 58.